		Application No.	Applicant(s)	
		40/099 047	WORREN ALOVO	81
Notice of Allowab	ility	10/088,947 Examiner	WOBBEN, ALOYS Art Unit	
	•	Lars A Olson	3617	
All claims being allowable, PROSECUTION herewith (or previously mailed), a Notice of NOTICE OF ALLOWABILITY IS NOT A Confidence of the Office or upon petition by the application.	N ON THE MERITS IS of Allowance (PTOL-85) BRANT OF PATENT R ant. See 37 CFR 1.313	ears on the cover sheet with the (OR REMAINS) CLOSED in this or other appropriate communic GHTS. This application is subjected and MPEP 1308.	he correspondence address application. If not included ation will be mailed in due control to withdrawal from issue	d ourse. THIS
1. This communication is responsive to	o <u>the amendment recei</u>	ved from the applicant on June	<u>28, 2004</u> .	
2. The allowed claim(s) is/are 1-3,5 all	nd 7-23.			
3. The drawings filed on 16 September 2002 are accepted by the Examiner.				
	None of the: priority documents have priority documents have copies of the priority do PCT Rule 17.2(a)).		lo	on from the
Applicant has THREE MONTHS FROM noted below. Failure to timely comply w THIS THREE-MONTH PERIOD IS NOT	ill result in ABANDONM		eply complying with the requ	uirements
5. A SUBSTITUTE OATH OR DECLA INFORMAL PATENT APPLICATIO				TICE OF
6. CORRECTED DRAWINGS (as "re	placement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application				ack) of
7. DEPOSIT OF and/or INFORMA attached Examiner's comment rega	TION about the depo	sit of BIOLOGICAL MATERI	AL must be submitted. No	ote the
Attachment(s) 1. ☑ Notice of References Cited (PTO-89 2. ☐ Notice of Draftperson's Patent Draw 3. ☐ Information Disclosure Statements (Paper No./Mail Date	ing Review (PTO-948)	6. ☐ Interview Sumn Paper No./Mai	l Date	-152)
 Examiner's Comment Regarding Re of Biological Material 	quirement for Deposit	8. ⊠ Examiner's Sta 9. □ Other	tement of Reasons for Allow	/ance

Art Unit: 3617

Reasons for Allowance

1. An amendment was received from the applicant on June 28, 2004.

- 2. Claims 4 and 6 have been canceled.
- 3. Claims 1-3, 5 and 7-23 are allowed.
- 4. The following is an examiner's statement of reasons for allowance. The landing stage for an offshore wind power installation as claimed is not shown or suggested in the prior art because of the use of a landing stage that is comprised of a mooring location for ships, a landing area for helicopters, and a common route link from said mooring location and said landing area to said installation, where said mooring location and said landing area are on a common platform, and said landing stage is rotatable about said installation about a vertical axis, or said landing stage is positioned relative to a prevailing wind direction of said installation.
- 5. The prior art as disclosed by King et al. (US 4,721,412) shows the use of an offshore safety escape platform for an offshore installation, where said platform is comprised of a mooring location for ships, a landing area for helicopters, and a common route link from said mooring location and said landing area to said offshore installation, said mooring location and said landing area being on a common platform. Hendriks (BE 876,855 A) discloses an offshore installation in the form of a wind power generating facility with a foundation that is arranged on a seabed. Ryan (US 4,003,473) discloses an offshore installation with a common route link and an escape platform that should be positioned on the lee side of said installation relative to a prevailing sea current

Application/Control Number: 10/088,947

Art Unit: 3617

direction. And newly cited reference by Stair (US 4,180,362) describes the previous

use of articulated landing ramps between a platform and a marine vessel, where said

ramps are provided on every side of said platform so that transfer operations can be

conducted between said platform and said marine vessel on a lee side of said platform.

in order to reduce the severity of sea and wave action on transfer operations. However,

none of the prior art cited shows or suggests the use of a landing stage for an offshore

wind power installation that is comprised of a mooring location for ships, a landing area

for helicopters, and a common route link from said mooring location and said landing

area to said installation, where said mooring location and said landing area are on a

common platform, and said landing stage is rotatable about said installation about a

vertical axis, or said landing stage is positioned relative to a prevailing wind direction of

said installation.

Conclusion

6. Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

7. Any inquiry concerning this communication from the examiner should be directed

to Exr. Lars Olson whose telephone number is (703) 308-9807.

lo

July 26, 2004

LARSA OLSON PATENT EXAMINET

Page 3